

REFERENCES

- Adler, R. F., H.-Y. M. Yeh, N. Prasad, W.-K. Tao, and J. Simpson, 1991: Microwave simulations of a tropical rainfall system with a three-dimensional cloud model. *J. Appl. Meteor.*, **30**, 924–953.
- Amayenc, P., M. Marzoug, and J. Testud, 1993: Analysis of crossbeam resolution effects in rainfall rate profile retrieval from a spaceborne radar. *IEEE Trans.*, **GE-31**, 417–425.
- Anagnostou E. N., C. A. Morales, and T. Dinku, 2001: The use TRMM precipitation radar observations in determining ground radar calibration biases. *J. Atmos. Oceanic Technol.*, **18**, 616–628.
- Arkin, P. A., and P. E. Ardanury, 1989: Estimating climatic-scale precipitation from space: A review. *J. Climate*, **2**, 1229–1238.
- Atlas, D., 2002: Radar calibration: some simple approaches. *Bull. Amer. Meteor. Soc.*, **83**, 1313–1316.
- _____, and C. W. Ulbrich, 1977: Path- and area-integrated rainfall measurement by microwave attenuation in the 1–3 cm Band. *J. Appl. Meteor.*, **16**, 1322–1331.
- _____, C. W. Ulbrich, F. D. Marks, E. Amitai, and C. R. Williams, 1999: Systematic variation of drop size and radar-rainfall relations. *Journal of Geophysical Research-Atmospheres*, **104**, 6155–6169.
- Awaka, J., T. Iguchi, and K. Okamoto, 1998: Early results on rain type classification by the Tropical Rainfall Measuring Mission (TRMM) precipitation radar. *Proc. 8th URSI Commission F Open Symp.*, Aveiro, Portugal, 143–146.
- Baeck, M. L., and J. A. Smith, 1998: Rainfall estimation by the WSR-88D for heavy rainfall events. *Wea. Forecasting*, **13**, 416–436.
- Bauer, P., J. P. V. Poiaraes Baptista, and M. Iulis, 1999: On the effect of the melting layer on microwave emission of clouds over the ocean. *J. Atmos. Sci.*, **56**, 852–867.
- Bell, T. L. 1987: A space-time stochastic model of rainfall for satellite remote-sensing studies. *J. Geophys. Res.*, **92**, 9631–9643.

- Black, M. L., R. W. Burpee, and F. D. Marks Jr, 1996: Vertical motion characteristics of tropical cyclones determined with airborne Doppler radial velocity. *J. Atmos. Sci.*, **53**, 1887-1909.
- Black, P.G., and C. T. Swift, 1984: Airborne stepped frequency microwave radiometer measurements of rainfall rate and surface wind speed in hurricanes. Preprints, *22nd Conf. on Radar Meteorol.*, Zurich, Amer. Meteor. Soc., 433-438.
- _____, E. Uhlhorn, M. Powell, and J. carswell, 2000: A new era in hurricane reconnaissance: real time measurement of surface wind structure and intensity via microwave remote sensing. Preprints, *24th Conf. Hurricane and Tropical Meteorology*, Ft. Lauderdale, FL, Amer. Meteor. Soc., 199-200.
- Black, R. A., 1990: Radar reflectivity-ice water content relationships for use above the melting level in hurricanes. *J. Appl. Meteor.*, **29**, 955-961.
- _____, G. M. Heymsfield, and J. Hallet, 2003: Extra large particle images at 12 km in a hurricane eyewall: Evidence of high-altitude supercooled water? *Geophys. Res. Lett.*, **30**, 2124-2127.
- _____, H. B. Bluestein, and M. L. Black, 1994: Unusually strong vertical motions in a Caribbean Hurricane. *Mon. Wea. Rev.*, **122**, 2722-2739.
- _____, and J. Hallett, 1986: Observations of the distribution of ice in hurricanes. *J. Atmos.Sci.*, **43**, 802-822.
- _____, and J. Hallett, 1999: Electrification of the hurricane. *J. Atmos.Sci.*, **56**, 2004-2028.
- Bolen, S. M., and V. Chandrasekar, 2000: Quantitative cross validation of space-based and ground-based radar observations. *J. Appl. Meteor.*, **39**, 2071-2079.
- Braun, S. A., 2004: High-resolution simulation of Hurricane Bonnie (1998). Part II: Water budget. *J. Atmos.Sci.*, submitted.
- Bringi, V.N., V. Chandrasekar, J. Hubbert, E. Gorgucci, W. L. Randeu, and M. Schoenhuber, 2003: Raindrop size distribution in diiferent climatic regimes from disdrometer and dual-polarized radar analysis. . *J. Atmos.Sci.*, **60**, 354-365.
- Cecil, D. J., E. J. Zipser, 1999: Relationships between tropical cyclone intensity and satellite-based indicators of inner core convection: 85-GHz ice scattering signature and lightning. *Mon. Wea. Rev.*, **127**, 103-123.
- _____, and E. J. Zipser, 2002: Reflectivity, ice scattering, and lightning characteristics of hurricane eyewalls and rainbands. Part II: Intercomparison of observations. *Mon. Wea. Rev.*, **130**, 785-801.

- _____, E. J. Zipser, and S. W. Nesbitt, 2002: Reflectivity, ice scattering, and lightning characteristics of hurricane eyewalls and rainbands. Part I: Quantitative description. *Mon. Wea. Rev.*, **130**, 769-784.
- Chandrasekar V., R. Meneghini, and I. Zawadzki, 2003: Global and local precipitation measurements by radar. *Meteorological Monographs*, **30**, 215-236.
- Chiu, L. S., G. R. North, D. A. Short, and A. McConnell, 1990: Rain estimates from satellite: Effect of the finite field of view. *J. Geophys. Res.*, **95**, 2177-2185.
- DeMaria, M., and J. Kaplan, 1999: An updated Statistical Hurricane Intensity Prediction Scheme (SHIPS) for the Atlantic and Eastern North Pacific basins. *Wea. and Forecasting*, **14**, 326-337.
- Delrieu, G., H. Andrieu, and J. D. Creutin, 2000: Quantification of path-integrated attenuation for X- and C-band weather radar systems operating in Mediterranean heavy rainfall. *J. Appl. Meteor.*, **39**, 840-850.
- Dennis, A. S., and F. G. Fernald, 1963: Frequency distributions of shower size. *J. Appl. Meteor.*, **2**, 767-769.
- Durden, S. L. Z. S. Haddad, A. Kitiyakara, and F. K. Li, 1998: Effects of nonuniform beam filling on rainfall retrieval for the TRMM precipitation radar. *J. Atmos. Oceanic Technol.*, **15**, 635-646.
- Evans, K. F., J. Turk, T. Wong, and G. L. Stephens, 1995: A Bayesian approach to microwave precipitation profile retrieval. *J. Appl. Meteor.*, **34**, 260-280.
- Ferreira, F., P. Amayenc, S. Oury, and J. Testud, 2001: Study and tests of improved rain estimates from the TRMM precipitation radar. *J. Appl. Meteor.*, **40**, 1878-1899.
- Ferraro, R. R., and G. F. Marks, 1995: The development of SSM/I rain-rate retrieval algorithms using ground-based radar measurements. *J. Atmos. Oceanic Technol.*, **12**, 755-770.
- _____, 1997: Special Sensor Microwave Imager-derived global rainfall estimates from climatological applications. *J. Geophys. Res.*, **102**, 16715-16735.
- _____, E. A. Smith, W. Berg, and G. J. Huffman, 1998: A screening methodology for passive microwave precipitation retrieval algorithms. *J. Atmos. Sci.*, **55**, 1583-1600.
- Fiorino, S. T., 2002: Investigation of microphysical assumptions in TRMM radiometer's rain profile algorithm using KWAJEX satellite, aircraft & surface datasets. Ph. D. Dissertation, Florida State University.

- Fovell, R. G., and Y. Ogura, 1988: Numerical simulation of a midlatitude squall line in two dimensions. *J. Atmos.Sci.*, **45**, 3846-3879.
- Fulton, R., and G. M. Heymsfield, 1991: Microphysical and radiative characteristics of convective clouds during COHMEX. *J. Appl. Meteor.*, **30**, 98–116.
- Gamache, J. F., R. A. Houze, Jr., and F. D. Marks, Jr., 1993: Dual-aircraft investigation of the inner core of Hurricane Norbert. Part III: Water Budget. *J. Atmos.Sci.*, **50**, 3221-3243.
- Goffe, W. L., G. D. Ferrier, and J. Rogers, 1994: Global optimization of statistical functions with simulated annealing. *Journal of Econometrics*, **60**, 65-99.
- Goldhirsh, J., and B. Musiani, 1986: Rain cell size statistics derived from radar observations at Wallops Island, Virginia. *IEEE Trans. Geosci. Remote Sens.*, **24**, 947-954.
- Graves, C. E., 1993: A model for the beam-filling effect associated with the microwave retrieval of rain. *J. Atmos. Oceanic Technol.*, **10**, 5-14.
- Greco M., and E. N. Anagnostou, 2002: Use of passive microwave observations in a radar rainfall-profiling algorithm. *J. Appl. Meteor.*, **41**, 702–715.
- _____, W. S. Olson, and E. N. Anagnostou, 2004: Retrieval of precipitation profiles from multiresolution, multifrequency, active and passive microwave observations. *J. Appl. Meteor.*, **43**, 562–575.
- Grody, N. C., 1991: Classification of snow cover and precipitation using the Special Sensor Microwave Imager. *J. Geophys. Res.*, **96**, 7423-7435.
- Ha, E. and G. R. North, 1995: Model studies of the beam-filling error for rain rate retrievals with microwave radiometers. *J. Atmos.Oceanic Technol.*, **12**, 268–281.
- Haddad, Z. S., E. A. Smith, C. D. Kummerow, T. Iguchi, M. R. Farrar, S. L. Durden, M. Alves, and W. S. Olson, 1997: The TRMM day-1 radar/radiometer combined rain-profiling algorithm. *J. Meteorol. Soc. Jpn.*, **75**, 799-809.
- Halverson, J. B., J. Simpson, G. Heymsfield, H. Pierce, T. Hock, and L. Ritchie, 2004: Warm core structure of Hurricane Erin diagnosed from high altitude dropsondes during CAMEX-4. *J. Atmos.Sci.*, submitted to CAMEX-4 special issue.
- Harrington, R. F., 1980: The development of a stepped frequency microwave radiometer and its application to remote sensing of the earth. NASA Tech. Rep. TM-81847, 169 pp.

- Haurwitz, B., 1935: The height of tropical cyclones and the eye of the storm. *Mon. Wea. Rev.*, **96**, 669-700.
- Herman, L. R., and A. J. Heymsfield, 2003: Aircraft icing at low temperatures in Tropical Storm Chantal (2001). *Geophys. Res. Lett.*, **30**, 1995-1998.
- Heymsfield, A. J., A. Bansemer, P. R. Field, S. L. Durden, J. L. Stith, J. E. Dye, W. Hall, and C. A. Grainger, 2002b: Observations and parameterizations of particle size distributions in deep tropical cirrus and stratiform precipitating clouds: results from in situ observations in TRMM field campaigns. *J. Atmos. Sci.*, **59**, 3457-3491.
- _____, S. Lewis, A. Bansemer, J. Iaquinta, L. M. Miloshevich, M. Kajikawa, C. Twohy, and M. R. Poellot, 2002a: A general approach for deriving the properties of cirrus and stratiform ice cloud particles. *J. Atmos. Sci.*, **59**, 3-29.
- _____, _____, C. Schmitt, C. Twohy, and M. R. Poellot, 2004a: Effective ice particle densities derived from aircraft data. *J. Atmos. Sci.*, submitted.
- _____, _____, S. L. Durden, and T. P. Bui, 2004b: Ice microphysics observations in Hurricane Humberto: Comparison with non-hurricane generated ice cloud layers. *J. Atmos. Sci.*, submitted to CAMEX-4 special issue.
- Heymsfield, G. M., and coauthors, 1996: The EDOP radar system on the high-altitude NASA ER-2 aircraft. *J. Atmos. Oceanic Technol.*, **13**, 795-809.
- _____, J. B. Halverson, J. Simpson, L. Tian, and T. P. Bui, 2001: ER-2 Doppler radar investigation of the eyewall of Hurricane Bonnie during the Convective and Moisture EXperiment-3. *J. Appl. Meteor.*, **40**, 1310-1330.
- _____, B. Geerts, and L. Tian, 2000: TRMM precipitation radar reflectivity profiles as compared with high-resolution airborne and ground-based radar measurements. *J. Appl. Meteor.*, **39**, 2080-2102.
- Hinton, B. B., W. S. Olson, D. W. Martin, and B. Auvine, 1992: A passive microwave algorithm for tropical oceanic rainfall. *J. Appl. Meteor.*, **31**, 1379-1395.
- Hitschfeld, W., and J. Bordan, 1954: Errors inherent in the radar measurement of rainfall at attenuation wavelengths. *J. Meteor.*, **11**, 58-67.
- Houze, R. A., F. D. Marks, Jr, and R. A. Black, 1992: Dual-aircraft investigation of the inner core of Hurricane Norbert. Part II: Mesoscale distribution of ice particles. *J. Atmos. Sci.*, **49**, 943-962.
- Iguchi, T., T. Kozu, R. Meneghini, J. Awaka, and K. Okamoto, 2000: Rain-profiling algorithm for the TRMM precipitation radar. *J. Appl. Meteor.*, **39**, 2038-2052.

- Jones, W. L., P.G. Black, V.E. Delnore, and C. T. Swift, 1981: Airborne microwave remote sensing measurements of Hurricane Allen. *Science*, **214**, 274-280.
- Jorgensen, D. P., 1984a: Mesoscale and convective-scale characteristics of mature hurricanes. Part I: General observations by research aircraft. *J. Atmos. Sci.*, **41**, 1268–1286.
- _____, 1984b: Mesoscale and convective-scale characteristics of mature hurricanes. Part II: Inner core structure of Hurricane Allen (1980). *J. Atmos. Sci.*, **41**, 1287–1311.
- _____, E. J. Zipser, and M. A. LeMone, 1985: Vertical motions in intense hurricanes. *J. Atmos. Sci.*, **42**, 839-856.
- _____, and M. A. LeMone, 1989: Vertical velocity characteristics of oceanic convection. *J. Atmos. Sci.*, **46**, 621–640.
- _____, and P. T. Willis, 1982: A Z-R relationship for hurricanes. *J. Appl. Meteor.*, **21**, 356-366.
- Joss, J., and A. Waldvogel, 1970: Raindrop size distributions and Doppler velocities. Preprints, *14th Conf. on Radra Meterology*, Tucson, AZ, Amer. Meteor. Soc., 153-156.
- _____, and E. G. Gori, 1978: Shapes of raindrop size distributions. *J. Appl. Meteor.*, **17**, 1054-1061.
- Kakar, R., M. Goodman, R. Hood, and A. Guillory, 2004: Overview of the Convection and Moisture Experiment (CAMEX). *J. Atmos.Sci.*, submitted to CAMEX-4 special issue.
- Klazura, G. E., J. M. Thomale, D. S. Kelly, and P. Jendrowski, 1999: A comparison of NEXRAD WSR-88D radar estimates of rain accumulation with gauge measurements for high- and low-reflectivity horizontal gradient precipitation events. *J. Atmos. Oceanic Technol.*, **16**, 1842–1850.
- Konrad, T. G., 1978: Statistical models of summer rainshowers derived from fine-scale radar observations. *J. Appl. Meteor*, **17**, 171–188.
- Kozu, T., and T. Iguchi, 1999: Nonuniform beamfilling correction for spaceborne radar rainfall measurements: Implications from TOGA COARE radar data analysis. *J. Atmos.Oceanic Technol.*, **16**, 1722–1735.
- Kummerow, C., 1998: Beamfilling errors in passive microwave rainfall retrievals. *J. Appl. Meteor*, **37**, 356–370.

- _____, I. M. Hakkarinen, H. F. Pierce, and J. A. Weinman, 1991: Determination of precipitation profiles from airborne passive microwave radiometric measurements. *J. Atmos. Sci.*, **8**, 148–158.
- _____, and J. A. Weinman, 1988: Determining microwave brightness temperatures from horizontally finite, vertically structured clouds. *J. Geophys. Res.*, **93**, 3720–3728.
- _____, and L. Giglio, 1994: A passive microwave technique for estimating rainfall and vertical structure information from space. Part I: Algorithm description. *J. Appl. Meteor.*, **33**, 3–18.
- _____, R. A. Mack, and I. M. Hakkarinen, 1989: A self-consistency approach to improve microwave rainfall rate estimation from space. *J. Appl. Meteor.*, **28**, 869–884.
- _____, W. S. Olson, and L. Giglio, 1996: A simplified scheme for obtaining precipitation and vertical hydrometeor profiles from passive microwave sensors. *IEEE Trans. Geosci. Remote Sens.*, **34**, 1213–1232.
- _____, W. Barnes, T. Kozu, J. Shiue, and J. Simpson, 1998: The Tropical Rainfall Measuring Mission (TRMM) sensor package. *J. Atmos. Oceanic Technol.*, **15**, 809–817.
- _____, and co-authors, 2000: The status of the Tropical Rainfall Measuring Mission (TRMM) after two years in orbit. *J. Appl. Meteor.*, **39**, 1965–1982.
- _____, and co-authors, 2001: The evolution of the Goddard profiling algorithm (GPROF) for rainfall estimation from passive microwave sensors. *J. Appl. Meteor.*, **40**, 1801–1820.
- Lambriqtsen, B. H., and A. L. Riley, 2002: Microwave scattering observed in convective cells during CAMEX-4. Preprints, *22nd Conf. on Hurricanes and Tropical Meteorol.*, San Diego, CA, Amer. Meteor. Soc., 515–516.
- LeMone, M. A., and E. J. Zipser, 1980: Cumulonimbus vertical velocity events in GATE. Part I: Diameter, intensity and mass flux. *J. Atmos. Sci.*, **37**, 2444–2457.
- Lhermitte, R., 2002: *Centimeter & millimeter wavelength radars in meteorology*. Lhermitte publications, 550pp.
- Liu, G., and J. A. Curry, 1998: Remote sensing of ice water characteristics in tropical clouds using aircraft microwave measurements. *J. Appl. Meteor.*, **37**, 337–355.
- Lord, S. J., H. E. Willoughby, and J. M. Piotrowicz, 1984: Role of a parameterized ice-phase microphysics in an axisymmetric, nonhydrostatic tropical cyclone model. *J. Atmos. Sci.*, **41**, **19**, 2836–2848.

- Lucas, C., E. J. Zipser, and M. A. LeMone, 1994: Vertical velocity in oceanic convection off tropical Australia. *J. Atmos. Sci.*, **51**, 3183-3193.
- Mace, G. G., T. A. Arkerman, P. Minnis, and D. F. Young, 1998: Cirrus layer microphysical properties derived from surface-based millimeter radar and infrared interferometer data. *J. Geophys. Res.*, **103**, 23,027-23,216.
- Marzano, F. S., A. Mugnai, G. Panegrossi, N. Pierdicca, E. A. Smith, and J. Turk, 1999: Bayesian estimation of precipitating cloud parameters from combined measurements of spaceborne microwave radiometer and radar. *IEEE Trans. Geosci. Remote Sens.*, **37**, 596-613.
- Masunaga, H., T. Iguchi, R. Oki, and K. Misako, 2002: Comparison of rainfall products derived from TRMM microwave imager and precipitation radar. *J. Appl. Meteor.*, **41**, 849-862.
- Marks, F. D., Jr., 1985: Evolution of the structure of precipitation in Hurricane Allen (1980). *Mon. Wea. Rev.*, **113**, 909-930.
- _____, D. Atlas, and P. T. Wills, 1993: Probability-matched reflectivity-rainfall relations for a hurricane from aircraft observations. *J. Appl. Meteor.*, **32**, 1134-1141.
- _____, and R. A. Houze, 1987: Inner core structure of Hurricane Alicia from airborne Doppler radar observations. *J. Atmos. Sci.*, **32**, 1134-1141.
- Marshall, J. S., and W. McK. Palmer, 1948: The distribution of raindrops with size. *J. Atmos. Sci.*, **5**, 165-166.
- Meneghini, R., J. Eckerman, and D. Atlas, 1983: Determination of rain rate from spaceborne radar using measurements of total attenuation. *IEEE Trans. Geosci. Remote Sens.*, **GE-21**, 34-43.
- McGaughey, G. R., and E. J. Zipser, 1996: Passive microwave observations of the stratiform regions of two tropical oceanic mesoscale convective systems. *J. Appl. Meteor.*, **35**, 1949-1962.
- _____, E. J. Zipser, R. W. Spencer, and R. E. Hood, 1996: High-resolution passive microwave observations of convective systems over the tropical Pacific Ocean. *J. Appl. Meteor.*, **35**, 1921-1947.
- Miller, J. R., A. S. Dennis, J. H. Hirsch, and D. E. Cain, 1975: Statistics of shower echoes in western North Dakota. Preprints, *16th Conf. on Radar Meteorology*, Houston TX, Amer. Meteor. Soc., 391-396.

- Molinari, J., P. Moore, and V. Idone, 1999: Convective structure of hurricanes as revealed by lightning locations. *Mon. Wea. Rev.*, **127**, 520-534.
- Mota, G. V., 2003: Characteristics of rainfall and precipitation features defined by the Tropical Rainfall Measurement Mission over South America. Ph. D. Dissertation, University of Utah.
- Mugnai, A., E. A. Smith, and G. J. Tripoli, 1993: Foundations for statistical-physical precipitation retrieval from passive microwave satellite measurements. Part II: Emission-source and generalized weighting-function properties of a time-dependent cloud-radiation model. *J. Appl. Meteor.*, **32**, 17-39.
- _____, H. J. Cooper, E. A. Smith, and G. J. Tripoli, 1990: Simulation of microwave brightness temperatures of an evolving hailstorm at SSM/I frequencies. *Bull. Amer. Meteor. Soc.*, **71**, 2-13.
- Nesbitt, S. W., E. J. Zipser, and D. J. Cecil, 2000: A census of precipitation features in the tropics using TRMM: Radar, ice scattering, and lightning observations. *J. Climate*, **13**, 4087-4106.
- _____, and E. J. Zipser, 2003: The diurnal cycle of rainfall and convective intensity according to three years of TRMM measurements. *J. Climate*, **16**, 1456-1475.
- _____, E. J. Zipser, and C. D. Kummerow, 2004: An examination of version 5 rainfall estimated from the TRMM microwave imager, precipitation radar, and rain gauges on global, regional, and storm scales. *J. Appl. Meteor.*, in press.
- Olsen, R. L., D. V. Rogers, and D. B. Hodge, 1978: The aR^b relation in the calculation of rain attenuation. *IEEE Trans. Antennas Propagat.*, **AP-26**, 318-329.
- Olson, W. S., C. D. Kummerow, G. M. Heymsfield, and L. Giglio, 1996: A method for combined passive-active microwave retrievals of cloud and precipitation profiles. *J. Appl. Meteor.*, **35**, 1763-1789.
- _____, P. Bauer, N. F. Viltard, D. E. Johnson, W.-K. Tao, R. Meneghini, and L. Liao, 2001a: A melting layer model for passive /active microwave remote sensing applications. Part I: Model formulation and comparison with observations. *J. Appl. Meteor.*, **40**, 1145-1163.
- _____, P. Bauer, C. D. Kummerow, Y. Hong, and W.-K. Tao, 2001b: A melting layer model for passive /active microwave remote sensing applications. Part II: Simulation of TRMM observations. *J. Appl. Meteor.*, **40**, 1164-1179.
- Oury, S., J. Testud, and V. Marecal, 1999: Estimate of precipitation from the dual-beam airborne radars in TOGA COARE. Part 1: The K-Z relationships derived from stereo and quad-beam analysis. *J. Appl. Meteor.*, **38**, 156-174.

- Petty, G. W., 1994a: Physical retrievals of over-ocean rain rate from multichannel microwave imagery. Part I: Theoretical characteristics of normalized polarization and scattering indices. *Meteor. Atmos. Phys.*, **54**, 79-99.
- _____, 1994b: Physical retrievals of over-ocean rain rate from multichannel microwave imagery. Part II: Algorithm implementation. *Meteor. Atmos. Phys.*, **54**, 101-121.
- _____, 2004: *A first course in atmospheric radiation*. Sundog publishing, 444pp.
- Prabhakara, C., G. Dalu, G. L. Liberti, J. J. Nucciarone, and R. Suhasini, 1992: Rainfall estimation over oceans from SMMR and SSM/I microwave data. *J. Appl. Meteor.*, **31**, 532-552.
- Prasad, N., H.-Y. M. Yeh, R. F. Adler, and W.K. Tao, 1995: Microwave and infrared simulations of an intense convective system and comparison with aircraft observations. *J. Appl. Meteor.*, **34**, 153-174.
- Pruppacher, H. R., and J. D. Klett, 1997: *Microphysics of cloud and precipitations*. Kluwer academic publishers, 954 pp.
- Rao, G. V., and P. D. MacArthur, 1994: The SSM/I estimated rainfall amounts of tropical cyclones and their potential in predicting the cyclone intensity changes. *Mon. Wea. Rev.*, **122**, 1568-1574.
- Rodgers, E. B., J.-J. Baik, and H. F. Pierce, 1994b: The environmental influence on tropical cyclone precipitation. *J. Appl. Meteor.*, **33**, 573-593.
- _____, and R. F. Adler, 1981: Tropical cyclone rainfall characteristics as determined from a satellite passive microwave radiometer. *Mon. Wea. Rev.*, **109**, 506-521.
- _____, R. F. Adler, and H. F. Pierce, 2000: Contribution of tropical cyclones to the North Pacific climatological rainfall as observed from satellites. *J. Appl. Meteor.*, **39**, 1658-1678.
- _____, E. B., R. F. Adler, and H. F. Pierce, 2001: Contribution of tropical cyclones to the North Atlantic climatological rainfall as observed from satellites. *J. Appl. Meteor.*, **40**, 1785-1800.
- _____, S. W. Chang, and H. F. Pierce, 1994a: A Satellite Observational and Numerical Study of Precipitation Characteristics in Western North Atlantic Tropical Cyclones. *J. Appl. Meteor.*, **33**, 129-139.
- Rodgers, R. R., and M. K. Yau, 1989: *A short course in cloud physics*. Butterworth-Heinemann, 290 pp.

- Rinehart, R. E., 1997: *Radar for meteorologists*. Rinehart publications, 428 pp.
- Rutledge, S. A., and P. V. Hobbs, 1984: The mesoscale and microscale structure and organization of clouds and precipitation in midlatitude cyclones. XII: A diagnostic modeling study of precipitation development in narrow cold-frontal rainbands. *J. Atmos. Sci.*, **41**, 2949–2972.
- Ryde, J. W., 1947: The attenuation and radar echoes produced at centimeter wavelengths by various meteorological phenomena. *Meteorological Factors in Radio Wave Propagation*, Physical Society of London, 169-189.
- Sauvageot, H., F. Mesnard, and R. S. Tenorio, 1999: The relation between the area-average rain rate and the rain cell size distribution parameters. *J. Atmos. Sci.*, **56**, 57-70.
- Schumacher, C., and R. A. Houze, 2000: Comparison of radar data from the TRMM satellite and Kwajalein oceanic validation site. *J. Appl. Meteor.*, **39**, 2151–2164.
- Shin, K.-S., P. E. Riba, and G. R. North, 1990: Estimation of area-averaged rainfall over tropical oceans from microwave radiometry: A single channel approach. *J. Appl. Meteor.*, **29**, 1031–1042.
- Short, D. A., and G. R. North, 1990: The beam filling error in the *Nimbus 5* electronically scanning microwave radiometer observations of Global Atlantic Tropical Experiment rainfall. *J. Geophys. Res.*, **95**, 2187-2193.
- Simpson, J., C. Kummerow, W.-K. Tao, and R. F. Adler, 1996: On the Tropical Rainfall Measuring Mission (TRMM). *Meteorol. Atmos. Phys.*, **60**, 19-36.
- _____, R. F. Adler, and G. R. North, 1988: A proposed Tropical Rainfall Measuring Mission (TRMM) satellite. *Bull. Amer. Meteor. Soc.*, **69**, 278-295.
- Simpson, R. H., 1963: Liquid water in squall lines and hurricanes at air temperatures lower than -40°C . *Mon. Wea. Rev.*, 687-693.
- Skofronick-Jackson, G. M., J. R. Wang, G. M. Heymsfield, R. Hood, W. Manning, R. Meneghini, and J. A. Weinman, 2003: Combined radiometer–radar microphysical profile estimations with emphasis on high-frequency brightness temperature observations. *J. Appl. Meteor.*, **42**, 476–487.
- Smith, E. A., and A. Mugnai, 1988: Radiative transfer to space through a precipitating cloud at multiple microwave frequencies. Part II: Results and analysis. *J. Appl. Meteor.*, **27**, 1074–1092.
- _____, H. J. Cooper, X. Xiang, A. Mugnai, and G. J. Tripoli, 1992: Foundations for statistical-physical precipitation retrieval from passive microwave satellite

- measurements. Part I: Brightness-temperature properties of a time-dependent cloud-radiation Model. *J. Appl. Meteor.*, **31**, 506–531.
- Smith, J. A., M. L. Baeck, Y. Zhang, and C. A. Doswell, 2001: Extreme rainfall and flooding from supercell thunderstorms. *J. Hydrometeor.*, **2**, 469–489.
- Spencer, R. W., H. M. Goodman, and R. E. Hood, 1989: Precipitation retrieval over land and ocean with the SSM/I: Identification and characteristics of the scattering signal. *J. Atmos. Oceanic Technol.*, **6**, 254–273.
- _____, R. E. Hood, F. J. Lafontaine, E. A. Smith, R. Platt, J. Galliano, V. L. Griffin, E. Lobl, 1994: High-resolution imaging of rain systems with the Advanced Microwave Precipitation Radiometer. *J. Atmos. Oceanic Technol.*, **11**, 849–857.
- Steiner, M., R. A. Houze, and S. E. Yuter, 1995: Climatological characterization of three-dimensional storm structure from operational radar and rain gauge data. *J. Appl. Meteor.*, **34**, 1978–2007.
- Stith, J. L., J. E. Dye, A. Bansemmer, A. J. Heymsfield, C. A. Grainger, W. A. Petersen, and C. Robert. 2002: Microphysical observations of tropical clouds. *J. Appl. Meteor.*, **41**, 97–117.
- Stout, G. E., and E. A. Mueller, 1968: Survey of relationships between rainfall rate and radar reflectivity in the measurement of precipitation. *J. Appl. Meteor.*, **7**, 465–474.
- Swift, C. T., D. C. Dehority, A. B. Tanner, and R. E. McIntosh, 1986: Passive microwave spectral emission from saline ice at C-band during the growth phase. *IEEE Trans. Geosci. Remote Sens.*, **GE-24**, 840–848.
- Szoke, E. J., and E. J. Zipser, 1986: A radar study of convective cells in mesoscale systems in GATE. Part II: Life cycles of convective cells. *J. Atmos. Sci.*, **43**, 199–218.
- _____, E. J. Zipser, and D. P. Jorgensen, 1986: A radar study of convective cells in mesoscale systems in GATE. Part I: Vertical profile statistics and comparison with hurricanes. *J. Atmos. Sci.*, **43**, 182–198.
- Tanner, A., C. T. Swift, and P. G. Black, 1987: Operational airborne remote sensing of wind speeds in hurricanes. Preprints, *17th Conf. Hurricane and Tropical Meteorology*, Miami, FL, Amer. Meteor. Soc., 385–387.
- Tenorio, R. S., H. Sauvageot, and S. Ramos-Buarque, 1995: Statistical studies of rain cell size distribution using radar data during squall line episodes in West Africa. *Proc. Third Int. Symp. on Hydrological Applications of Weather Radar*, Sao Paulo, Brazil, 518–526.

- Tesmer, J. R., and T. T. Wilheit, 1998: An improved microwave radiative transfer model for tropical oceanic precipitation. *J. Atmos. Sci.*, **55**, 1674–1689.
- Testud, J., S. Oury, R. A. Black, P. Amayenc, and X. Dou, 2001: The concept of “normalized” distribution to describe raindrop spectra: A tool for cloud physics and cloud remote sensing. *J. Appl. Meteor.*, **40**, 1118–1140.
- Tian, L., G. M. Heymsfield, and R. C. Srivastava, 2002: Measurement of attenuation with airborne and ground-based radar in convective storms over land and its microphysical implications. *J. Appl. Meteor.*, **41**, 716–733.
- Toracinta, E. R., D. J. Cecil, E. J. Zipser, and S. W. Nesbitt, 2002: Radar, passive microwave, and lightning characteristics of precipitating systems in the Tropics. *Mon. Wea. Rev.*, **130**, 802–824.
- Uhlhorn, E. W., and P. G. Black, 2003: Verification of remotely sensed sea surface winds in hurricanes. *J. Atmos. Oceanic Technol.*, **20**, 99–116.
- Viltard, N., C. Kummerow, W. S. Olson, and Y. Hong, 2000: Combined use of the radar and radiometer of TRMM to estimate the influence of drop size distribution on rain retrievals. *J. Appl. Meteor.*, **39**, 2103–2114.
- _____, E. Obligis, V. Marecal, and C. Klapisz, 1998: Retrieval of precipitation from microwave airborne sensors during TOGA COARE. *J. Appl. Meteor.*, **37**, 701–717.
- Vivekanandan, J., J. Turk, and V. N. Bringi, 1991: Ice water path estimation and characterization using passive microwave radiometry. *J. Appl. Meteor.*, **30**, 1407–1421.
- Wang, Z., and K. Sassen, 2002a: Cirrus cloud microphysical property retrieval using Lidar and Radar measurements. Part I: Algorithm description and comparison with *in situ* data. *J. Appl. Meteor.*, **41**, 218–229.
- Wexler, R., and D. Atlas, 1963: Radar reflectivity and attenuation of rain. *J. Appl. Meteor.*, **2**, 276–280.
- Wilheit, T. T., A. T. C. Chang, Rao M. S. V., E. B. Rodgers, and J. S. Theon, 1977: A satellite technique for quantitatively mapping rainfall rates over the oceans. *J. Appl. Meteor.*, **16**, 551–560.
- Wilheit, T. T., A. T. C. Chang, and L. S. Chiu, 1991: Retrieval of monthly rainfall indices from microwave radiometric measurements using probability distribution functions. *J. Atmos. Oceanic Technol.* **8**, 118–136.

- Willis. P. L., and D. P. Jorgensen, 1981: Reflectivity relationships for hurricanes. Preprints, *20th Conf. on Radar Meteorology*, Boston, MA, Amer. Meteor. Soc., 199-200.
- Willoughby, H. E., and M. B. Chelmon, 1982: Objective determination of hurricane track from aircraft observations. *Mon. Wea. Rev.*, **110**, 1298-1305.
- _____, F. D. Marks, and R. J. Feinberg, 1984: Stationary and propagating convective bands in asymmetric hurricanes. *J. Atmos. Sci.*, **41**, 3189–3211.
- Wu, R., and J. A. Weinman, 1984: Microwave radiances from precipitating clouds containing aspherical ice, combined phase, and liquid hydrometeors. *J. Geophys. Res.*, **89**, 7170-7178.
- Yorty, D. P., 2001: Extreme convection observed by the Tropical Rainfall measuring Mission, M.S. Thesis, University of Utah.
- Yuter, S. E., and R. A. Houze, Jr., 1995b: Three-dimensional kinematic and microphysical evolution of Florida cumulonimbus. Part II: Frequency distributions of vertical velocity, reflectivity, and differential reflectivity. *Mon. Wea. Rev.*, **123**, 1941-1963.
- Zipser, E. J., 2002: Some views on “hot towers” after 50 years of tropical field programs and two years of TRMM data. *Meteorological Monographs*, **29**, 49-58.
- Zipser, E. J., and K. R. Lutz, 1994: The vertical profile of radar reflectivity of convective cells: A strong indicator of storm intensity and lightning probability? *Mon. Wea. Rev.*, **122**, 1751-1759.
- _____, and M. A. LeMone, 1980: Cumulonimbus vertical velocity events in GATE. Part II: Synthesis and model core structure. *J. Atmos. Sci.*, **37**, 2458-2469.
- Zipser, E. J., S. W. Nesbitt, B. Xi, G. Heymsfield and R. Hood, 2000: Using radar profiles and passive microwave radiances as constraints for deriving microphysical profiles with cloud systems. Preprints, *13th International Conference on Clouds and Precipitation*, Reno, NV, International Commission on Clouds and Precipitation, 250-253.