Cold Air Damming Atmos 5210: Synoptic Meteorology II



Jim Steenburgh Department of Atmospheric Sciences University of Utah jim.steenburgh@utah.edu

Learning Objectives

- After this class you should
 - Recognize areas of the world that are prone to cold air damming and its impacts
 - Understand the processes that contribute to the development and maintenance of cold air damming
 - Be prepared to analyze and forecast events

Introduction


Cold Air Damming

• What is it?

 The phenomenon of cold air becoming entrenched along the slopes of a mountain range

- General characteristics
 - Cold air in the form of a dome
 - Accompanying "U-shaped" ridge in the sea level pressure field

Where



+ many others

Cold Air Damming


- Impacts
 - Locally low
 temperatures
 - Sleet, snow, or freezing rain
 - Fog and stratus
 - Enhancement of gap winds



Ice Storm, Thoreau Street, Concord, Mass., Nov. 29, 1921.

"In America, the ice storm is an event, and it is not an event which one is careless about" - Mark Twain

Cold Air Damming




Median annual hours of freezing rain 1976–1990


Cortinas et al. (2004)

Appalachian Cold Air Damming

Appalachian Cold Air Damming




Antecedent Conditions



Large-scale upper-level confluence over eastern US Northern upper-level trough precedes southern trough

Bell and Bosart (1988)

Antecedent Conditions




Surface frontal passage & building of cold anticyclone at surface Result: Cold air becomes entrenched over eastern U.S. prior to a cyclogenesis event over southeast US

Bell and Bosart (1988)


Initiation Phase

- Initiation phase
 - Low pressure develops over Gulf of Mexico in response to southern upper-level trough
 - High pressure drifts eastward
 - Result
 - Magnitude of easterly flow directed towards mountains increases
 - Along-barrier pressure gradient increases
 - Upslope flow experiences adiabatic cooling




Initiation Phase

- Initiation phase
 - Terrain-parallel pressure gradient increases
 - Mountain-induced
 windward ridge and lee
 trough amplify




Mature Phase

- Mature phase
 - Windward (east side)
 flow veers and becomes
 terrain parallel
 - Cold advection becomes stronger near mountains (in this case, warm advection occurs off coast)
 - Equatorward movement of cold air is most rapid east of mountain slopes




Mature Phase

- Mature phase
 - Pronounced cold dome and U-shaped mesoscale pressure ridge




Vertical Structure




- Cold-dome extends to near crest height of Appalachians
- Near-surface winds are terrain parallel within dome and veer with height (warm advection above cold dome)

Soundings


 During development of damming event, a shallowlayer of cold air deepens and becomes surmounted by an inversion



Bell and Bosart (1988)




In the absence of topography and friction, the flow exhibits geostrophic balance




If flow is characterized by a low Froude number (U/NH < 1), the the low-level flow will be blocked and decelerate as it approaches mountains

Basic Dynamics




Flow is deflected toward lower pressure

Basic Dynamics



Flow deceleration results in a piling up of mass and development of a mesoscale pressure ridge near the mountains (mutual adjustment of mass and momentum)


Basic Dynamics




The final near-barrier force balance

Mature Force Balance

- Along-barrier antitripitic
 - Pressure gradient is balanced by friction
- Cross-barrier geostrophy
 - Pressure gradient is balanced by Coriolis




Real World Example



Bell and Bosart (1988)

Conceptual Model

- Terrain-parallel low-level wind maximum within cold dome
- Easterly (or SE) flow above cold dome associated with strong warm advection
- Southerly to southwesterly flow aloft



Discussion

Other than terrain driven flows, what other processes contribute to the development and maintenance of cold-air damming?




Event Types

- Morphology based on
 - Three-dimensional scale variations
 - Relative roles of synoptic-scale and diabatic processes
- Types
 - Classic damming
 - Hybrid damming
 - In situ damming
 - "Look alikes"


Classic Damming

- Strong forcing by synopticscale features
- Interaction of large-scale flow with topography results in upslope adiabatic cooling and along-barrier cold advection east of Appalachians
- Diabatic processes not needed to initiate event, but can strengthen it




Hybrid Damming

- Synoptic-scale and diabatic processes play nearly equal roles
- Parent high may be:
 - In a good position but weak
 - Progressive (limited CAA)
- Diabatic processes
 - Cool low levels
 - Enhance low-level stability
 - Ultimately enhance upslope cooling, high-pressure, and along-barrier cold advection



In-Situ Damming

- Surface high is unfavorably located
- Little or no CAA initially; cool dry air in place east of Applachians
- Damming is initiated by sub-cloud evaporation and reduced solar heating




Erosion

- Not handled well by current NWP models
- Rules of thumb
 - Strong events require cold-front passage to mix out cold dome (particularly during winter)
 - Shallow, weak events with only fog or low cloud cover are susceptible to erosion by insolation and mixing from aloft


Gap Effects

Cascades

- Cold, continental air dams along east slopes of Cascades
- Along-barrier cold advection not as pronounced as with Rockies/Appalachians
- With approach of a cyclone cold air remains entrenched along Cascades, but mixes out along southern and eastern periphery of Columbia Basin
- Cold pooling also common east of Cascades




Cascades




- Cold air from damming region tends to channel through mountain gaps during cool season
- Locally lowers temperatures and snow levels while increasing snowpack
- During the cool season, it is climatologically colder at 1150 meters in Stampede Pass than 1650 meters on Mt. Rainier

- Antecedent conditions
 - Cold air moves into and/or a period of persistent ridging establishes a cold pool over the Columbia Basin (Whiteman et al. 2001)
- Initiation
 - Front or frontal cyclone approaches from Pacific
 - Cold air begins to mix out along southern and southeastern
 Columbia Basin
 - U-shaped mesoscale ridge develops east of Cascades




Steenburgh et al. (1997)


- Downslope flow develops north of Blue Mountains
- Cold air remains entrenched along Cascades and over central Columbia Basin
- Cross-barrier pressure and temperature gradients increase




 Cold air channels through mountain gaps, producing locally lower temperatures and snow levels compared to sites west of Cascade Crest



- Cold air begins to mix or be advected out as front moves across Cascades
- Cold air may remain entrenched along eastern slopes and in passes well after passage of front aloft
- Eventually, westerly flow develops in passes and eastern Cascades



- Development of westerly flow results in movement of mild maritime air into passes
 - Rapid temperature rise
 - Snow may change to rain
 - Dangerous avalanche conditions may develop
- Effects are most dramatic at pass level
- Sites west of crest and away from passes may see a more "typical" fropa



Summary

 Cold-air damming is the phenomenon of cold air becoming entrenched along the slopes of a mountain range

• Contributing mechanisms

- Windward adiabatic cooling
- Along-barrier cold advection (enhanced by blocked low-Froude number flow)
- Cooling due to evaporation/melting
- Reduced insolation due to cloud cover
- Event erosion
 - Need cold/occluded front passage to mix out most strong events during winter
 - Solar insolation or turbulent mixing more effective if dammed airmass is shallow or during the fall/spring

References

Bell, G. D., and L. F. Bosart, 1988: Appalachian cold-air damming. *Mon. Wea. Rev.*, **116**, 137-161.

Cortinas, J. V., Jr., B. C. Bernstein, C. C. Robbins, and J. Walter Strapp, 2004: An analysis of freezing rain, freezing drizzle, and ice pellets across the United States and Canada: 1976–90. *Wea. Forecasting*, **19**, 377-390.

Dunn, L., 1987: Cold air damming by the Front Range of the Colorado Rockies and its relationship to locally heavy snows. *Wea. Forecasting*, **2**, 177-189.

Hartfield, G, 1999: Cold air damming: An introduction. http://www.comet.ucar.edu/class/comap/06_Aug2_1999/docs/hartfield/cadamg/sld001.htm

Houze, R. A., Jr., 2012: Orographic effects on precipitating clouds. *Rev. Geophys.*, **50**, RG1001, doi:10.1029/2011RG000365.

Jung, T., and P. B. Rhines, 2007: Greenland's pressure drag and the Atlantic storm track. J. Atmos. Sci., 64, 4004-4030.

Lee, J.-G., and M. Xue, 2013: A study on a snowband associated with a coastal front and cold-air damming event of 3-4 February 1998 along the eastern coast of the Korean Peninsula. *Adv. Atmos. Sci.*, **30**, 263-279.

Linacre, E. and B. Geerts, 1997: Climates and Weather Explained. Routledge, 464 pp.

Lupo, A. R., J. J. Nocera, L. F. Bosart, E. G. Hoffman, and D. J. Knight, 2001: South American cold surges: Types, composites, and case studies. *Mon. Wea. Rev.*, **129**, 1021-1041.

Hénin, R., 2015: Dynamics of Boara wind over the Adriatic Sea: Atmospheric water balance and role of air-sea fluxes and orography. Università di Bologna. <u>http://amslaurea.unibo.it/8915/1/Henin_Riccardo_tesi.pdf</u>.

Schwerdtfeger, W., 1975: The effect of the Antarctic peninsula on the temperature regime of the Weddell Sea. *Mon. Wea. Rev.*, **103**, 45-51.

Steenburgh, W. J., C. F. Mass, and S. A. Ferguson, 1997: The influence of terrain-induced circulations on wintertime temperature and snow level in the Washington Cascades. *Wea. Forecasting*, **12**, 208-227.